


All Products / Optics / Optical Filters / Shortpass Filters

Everix Ultra-Thin OD2 Shortpass Filters See More by Everix




- Flexible Design to Conform to Curved Surfaces
- Scratch Insensitive, Ultra-thin Polymer Construction
- >80% Average Transmission

Common Specifications

Physical & Mechanical Properties

Dimensions (mm):	12.5 x 12.5 ±0.2	Length (mm):	12.50				
Width (mm):	12.50	Clear Aperture (%	%): >90				
Optical Properties							
Optical Density OD (Average):	2.0 (average)	Transr	mission (%):	>80 (average)			
Cut-Off Tolerance (%):	±3 (typical)						

Technical Information



Products

Dimensions (mm)	Cut-Off Wavelength (nm)	Transmission Wavelength (nm)	Stock Number	Price	Buy
12.5 x 12.5	550.00	400 - 525	#35-893 Clearance Clearance Availability is limited, so buy before these products disappear. Sorry, we cannot accept returns. Receive	A\$111.98	7 In Stock
		up to 80% off select products.			

#35-894 Clearance

Clearance Availability is limited, so buy before these 12.5 x 12.5 600.00 400 - 575 A\$111.98 3 In Stock products disappear. Sorry, we cannot accept returns. Receive up to 80% off select products.

#35-895 Clearance

Clearance Availability is limited, so buy before these 400 - 620 12.5 x 12.5 650.00 A\$111.98 14 In Stock products disappear. Sorry, we cannot accept returns. Receive up to 80% off select products.

#35-896 Clearance

			Clearance		
12.5 x 12.5	700.00	450 - 670	Availability is limited, so buy before these products disappear. Sorry, we cannot accept returns. Receive up to 80% off select products.	A\$111.98	1 In Stock

#35-897 Clearance

Clearance Availability is limited, so buy before these 12.5 x 12.5 750.00 500 - 720 A\$111.98 5 In Stock products disappear. Sorry, we cannot accept returns. Receive up to 80% off select products.



Copyright 2024, Edmund Optics Singapore Pte. Ltd, 18 Woodlands Loop #04-00, Singapore 738100 PRIVACY POLICY COCKEPOLICY TERMS & CONDITIONS

Phone: 1-800-363-1992 : www.edmundoptics.com